



THE RANGE

2025



WELCOME



HERITAGE .....	2
CRAFTSMANSHIP .....	4
INNOVATION .....	5
<b>PERFORMANCE RANGE</b>	
SUPERHAWK 55 .....	8
<b>PREDATOR RANGE</b>	
PREDATOR 55 .....	16
PREDATOR 65 .....	20
PREDATOR 75 .....	26
<b>SPORT YACHT RANGE</b>	
65 SPORT YACHT .....	32
75 SPORT YACHT .....	38

<b>MANHATTAN RANGE</b>	
MANHATTAN 55 .....	46
MANHATTAN 68 (2025) .....	50
MANHATTAN 68 .....	54
<b>YACHT RANGE</b>	
76 YACHT .....	60
88 YACHT .....	64
94 YACHT .....	68
95 YACHT .....	72
100 YACHT .....	76
<b>OCEAN RANGE</b>	
OCEAN 156 .....	84
90 OCEAN .....	90
OCEAN 182 .....	96
AWARDS AND ACHIEVEMENTS .....	102

## HERITAGE



## HERITAGE

Our journey began in 1969 when entrepreneurial brothers Robert and John Braithwaite pursued their boat building passion.

In 1985, we reinvigorated our brand identity to reflect our true purpose. Sunseeker International was born, and we have since become a global icon in British design and engineered performance.



Portofino 31



Renegade 60



105 Yacht


## CRAFTSMANSHIP



It's a personal touch. Each Sunseeker is the result of an uncompromising approach to craftsmanship. In an era of digital production and automated assembly, we stay committed to creating hand-built, hand-finished boats.

## INNOVATION

Our Centre of Excellence for Design and Technology is a central hub that vertically integrates each conceptual, design and build phase of our yachts. We are proud to lead the industry in technical innovation and smart design solutions.





SUPERHAWK 55

P E R F O R M A N C E

# SUPERHAWK 55



## PRINCIPAL CHARACTERISTICS

Length overall  
**17.13m / 56' 2"**

Beam  
**4.93m / 16' 2"**

Draft  
**1.43m / 4' 8"**

Displacement  
**26,100 Kg / 57,500 lb**

Fuel capacity  
**1,800 Litres / 476 US Gal.**

Fresh water capacity  
**430 Litres / 114 US Gal.**

Black water capacity  
**150 Litres / 39 US Gal.**

Accommodation  
**Up to 4 guests**

Engine options (total)  
**Volvo Penta IPS up to 1,450PS**

Maximum speed  
**Up to 38 knots**

Drives  
**Pods**





SUPERHAWK 55  
STANDARD GENERAL ARRANGEMENTS

Other layout options available




PROFILE



EXTERIOR PLAN

Shown with optional hardtop and side decking



MAIN DECK

Shown with optional side decking



LOWER DECK

Shown with optional tender



PREDATOR 55  
PREDATOR 65  
PREDATOR 75

# PREDATOR

# PREDATOR 55

## PRINCIPAL CHARACTERISTICS

Length overall <b>17.14m / 56' 3"</b>	Displacement <b>27,975 KG / 61,674 LB</b>	Black water capacity <b>150 Litres / 39 US Gal.</b>	Maximum speed <b>Up to 36 knots</b>
Beam <b>4.93m / 16' 2"</b>	Fuel capacity <b>1,800 Litres / 476 US Gal.</b>	Accommodation <b>Up to 6 guests</b>	Drives <b>Pods</b>
Draft <b>1.48m / 4' 10"</b>	Fresh water capacity <b>430 Litres / 114 US Gal.</b>	Engine options (total) <b>Volvo Penta IPS up to 1,450PS</b>	





## PREDATOR 55


### STANDARD GENERAL ARRANGEMENTS

Other layout options available



#### PROFILE

Shown with optional radar and navigation equipment



#### EXTERIOR PLAN

Shown with optional side decking



#### MAIN DECK

Shown with optional side decking and wooden flooring throughout main deck and stairs to lower deck



#### LOWER DECK

Shown with optional lobby appliance, laundry appliance in utility room and tender in garage

# PREDATOR 65



## PRINCIPAL CHARACTERISTICS

Length overall  
**20.50m / 67' 2"**

Beam  
**5.10m / 16' 8"**

Draft  
**1.60m / 5' 3"**

Displacement  
**37,810 Kg / 83,357 lb**

Fuel capacity  
**3,500 Litres / 924 us gal.**

Fresh water capacity  
**800 Litres / 211 US Gal.**

Black water capacity  
**200 Litres / 52 US Gal.**

Accommodation  
**Up to 7 guests and up to 1 crew**

Engine options (total)  
**Volvo Penta IPS up to 2,000PS**

Maximum speed  
**Up to 35 knots**

Range @ 10 knots  
**Up to 750 nautical miles**

Drives  
**Pods**





PREDATOR 65  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



EXTERIOR PLAN



MAIN DECK



LOWER DECK



## PRINCIPAL CHARACTERISTICS

Length overall  
**23.06m / 75' 8"**

Beam  
**5.38m / 17' 8"**

Draft (inc. Stern gear) full load  
**1.87m / 6' 2"**

Displacement  
**46,900 Kg / 103,396 lb**

Fuel capacity  
**4,800 Litres / 1,268 US Gal.**

Freshwater capacity  
**800 Litres / 211 US Gal.**

Black water capacity  
**200 Litres / 53 US Gal.**

Accommodation  
**Up to 8 guests and up to 2 crew**

Engine options (total)  
**MAN up to 3800PS**

Maximum speed  
**Up to 40 knots**

Range @ 10 knots  
**Up to 800 nautical miles**

Drives  
**Shafts**


## PREDATOR 75





PREDATOR 75  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



EXTERIOR PLAN



MAIN DECK



LOWER DECK



65 SPORT YACHT  
75 SPORT YACHT

SUNSEEKER SPORT YACHT

# 65 SPORT YACHT

## PRINCIPAL CHARACTERISTICS

Length overall  
20.50m / 67' 2"

Beam  
5.10m / 16' 8"

Draft  
1.60m / 5' 3"

Displacement  
37,810 Kg / 83,357 lb

Fuel capacity  
3,500 Litres / 924 US Gal.

Fresh water capacity  
800 Litres / 211 US Gal.

Black water capacity  
200 Litres / 52 US Gal.

Accommodation  
Up to 7 guests and up to 1 crew

Engine options (total)  
Volvo Penta IPS up to 2,000PS

Maximum speed  
Up to 35 knots

Range @ 10 knots  
Up to 750 nautical miles

Drives  
Pods







# 65 SPORT YACHT STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



MAIN DECK



EXTERIOR PLAN



LOWER DECK



# 75 SPORT YACHT



## PRINCIPAL CHARACTERISTICS

Length overall  
**23.06m / 75' 8"**

Beam  
**5.38m / 17' 8"**

Draft  
**1.87m / 6' 2"**

Displacement  
**46,900 Kg / 103,396 lb**

Fuel capacity  
**4,800 Litres / 1,268 US Gal.**

Fresh water capacity  
**800 Litres / 211 US Gal.**

Black water capacity  
**200 Litres / 53 US Gal.**

Accommodation  
**Up to 8 guests and up to 2 crew**

Engine options (total)  
**MAN up to 3,800PS**

Maximum speed  
**Up to 40 knots**

Range @ 10 knots  
**Up to 800 nautical miles**

Drives  
**Shafts**




75 SPORT YACHT  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



EXTERIOR PLAN



MAIN DECK



LOWER DECK





MANHATTAN 55  
MANHATTAN 68 (2025)  
MANHATTAN 68

MANHATTAN

## PRINCIPAL CHARACTERISTICS

Length overall  
17.21m / 56' 6"

Fuel capacity  
2,200 Litres / 580 US Gal.

Engine options (total)  
MAN or Volvo Penta up to 1,600PS

Beam  
4.87m / 16' 0"

Fresh water capacity  
600 Litres / 158 US Gal.

Maximum speed  
Up to 32 knots

Draft  
1.37m / 4' 6"

Black water capacity  
150 Litres / 39 US Gal.

Range @ 10 knots  
Up to 300 nautical miles

Displacement  
27,000 Kg / 59,524 lb

Accommodation  
Up to 6 guests and up to 1 crew

Drives  
Shafts or pods

## MANHATTAN 55





MANHATTAN 55  
STANDARD GENERAL ARRANGEMENTS



PROFILE



FLYBRIDGE

Shown with optional flybridge decking, forward coffee table and side decking



MAIN DECK

Shown with optional side decking, aft cockpit bar stools and table and stern beach club



LOWER DECK

Shown with optional crew cabin



## PRINCIPAL CHARACTERISTICS

Length overall  
21.21m / 69' 7"

Displacement - half load  
39,809 kg / 87,764 lb

Black water capacity  
200 litres / 53 US Gal.

Maximum speed  
Up to 32 knots

Beam  
5.26m / 17' 3"

Fuel capacity  
4,000 litres / 1,057 US Gal.

Accommodation  
Up to 8 guests and up to 2 crew

Range @ 10 knots  
Up to 550 nautical miles

Draft  
1.60 m / 5' 4"

Fresh water capacity  
900 litres / 238 US Gal.

Engine options (total)  
MAN up to 2,400PS

Drives:  
Twin shaft


## MANHATTAN 68 (2025)






MANHATTAN 68 (2025)  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE  
Shown with optional hardtop



FLYBRIDGE



MAIN DECK



LOWER DECK




PRINCIPAL CHARACTERISTICS

Length overall 21.21m / 69' 7"	Fuel capacity 4,000 Litres / 1,057 US Gal.	Engine options (total) MAN up to 2,400PS
Beam 5.26m / 17' 3"	Fresh water capacity 900 Litres / 238 US Gal.	Maximum speed Up to 32 knots
Draft 1.60m / 5' 4"	Black water capacity 200 Litres / 53 US Gal.	Range @ 10 knots Up to 550 nautical miles
Displacement 37,400 Kg / 82,453 lb	Accommodation Up to 8 guests and up to 2 crew	Drives Shafts



MANHATTAN 68  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE  
Shown with optional hardtop



FLYBRIDGE



MAIN DECK



LOWER DECK



MANHATTAN 68 PACIFIC



76 YACHT  
88 YACHT  
94 YACHT  
95 YACHT  
100 YACHT

# YACHT



PRINCIPAL CHARACTERISTICS

Length overall  
23.60m / 77' 5"

Beam  
5.95m / 19' 6"

Draft  
1.70m / 5' 7"

Displacement  
53,700 Kg / 118,140 lb

Fuel capacity  
6,000 Litres / 1,585 US Gal.

Fresh water capacity  
1,400 Litres / 370 US Gal.

Black water capacity  
400 Litres / 106 US Gal.

Accommodation  
Up to 8 guests and up to 3 crew

Engine options (total)  
MAN up to 3,100PS

Maximum speed  
Up to 32 knots

Range @ 10 knots  
Up to 500 nautical miles

Drives  
Shafts



## 76 YACHT STANDARD GENERAL ARRANGEMENTS

Other layout options available



**PROFILE**  
Shown with optional hardtop



**FLYBRIDGE**  
Shown with optional coachroof skylight, flybridge teak decking, wetbar with raised shelf and 2 x bar stools



**MAIN DECK**  
Shown with optional foredeck teak decking and table, aft cockpit corner seat package with foot stool and coffee table



**LOWER DECK**  
Shown with optional sliding inboard berth in port guest cabin. Optional engine room access door and optional Pullman bunk in aft cabin



PRINCIPAL CHARACTERISTICS

Length overall  
**26.38m / 86' 7"**

Beam  
**6.47m / 21' 3"**

Draft  
**2.12m / 7' 0"**

Displacement  
**77,300 Kg / 170,417 lb**

Fuel capacity  
**11,000 Litres / 2,907 US Gal.**

Fresh water capacity  
**1,400 Litres / 370 US Gal.**

Black water capacity  
**400 Litres / 106 US Gal.**

Accommodation  
**Up to 8 guests and up to 4 crew**

Engine options (total)  
**MTU up to 4,000PS**

Maximum speed  
**Up to 28 knots**

Range @ 10/12 knots  
**Up to 1,275 nautical miles**

Drives  
**Shafts**



88 YACHT  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



FLYBRIDGE



MAIN DECK



LOWER DECK

## PRINCIPAL CHARACTERISTICS

Length overall  
**28.60M / 93' 10"**

Beam  
**6.56m / 21' 6"**

Draft  
**2.07m / 6' 9"**

Displacement  
**89,278KG / 196,824 lbs**

Fuel capacity  
**11,250 litres / 2,972 US gal.**

Fresh water capacity  
**1,500 litres / 396 US gal.**

Black water capacity  
**800 litres / 211 US gal.**

Grey water capacity  
**1,125 litres / 297 US gal.**

Accommodation  
**Up to 10 guests & up to 5 crew**

Engine options (total)  
**MTU up to 4,000PS**

Maximum speed  
**Up to 26 knots**

Range @ 10 / 12 knots  
**Up to 1,255 nautical miles**

Drives  
**Shafts**

## 94 YACHT





## 94 YACHT STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



FLYBRIDGE

Shown with optional decking, upgraded wetbar with raised glass shelf and 3 x bar stools and aft loose furniture arrangement



MAIN DECK

Shown with optional wooden flooring (with inset carpet) in saloon and dining areas and Sunseeker X-Tend™ transformer sunbed



LOWER DECK



## PRINCIPAL CHARACTERISTICS

Length overall 28.06m / 92' 1"	Fuel capacity 12,000 litres / 3,170 US gal.	Accommodation Up to 10 guests and up to 4 crew	Drives Shafts
Beam 6.55m / 21' 6"	Freshwater capacity 1,750 litres / 462 US gal.	Engine options (total) MTU up to 4,000PS	
Draft (Inc. Stern Gear) Full load 2.13m / 7' 0"	Black water capacity 435 litres / 115 US gal.	Maximum speed Up to 26.5 knots	
Displacement 84,700 kg / 186,731 lb	Grey water capacity 1,000 litres / 264 US gal.	Range @ 10 / 12 knots Up to 1,400 nautical miles	

## 95 YACHT





## 95 YACHT STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



FLYBRIDGE

Shown with optional spa tub and crane arrangement



MAIN DECK

Shown with optional starboard side patio door, bulwark balcony and upgraded galley refrigeration



LOWER DECK

Shown with optional port side double guest cabin

## PRINCIPAL CHARACTERISTICS

Length overall  
29.94m / 98' 3"

Beam  
7.00m / 22' 11"

Draft  
2.10m / 6' 10"

Displacement  
99,380 Kg / 219,095 lb

Fuel capacity  
12,800 Litres / 3,381 US Gal.

Fresh water capacity  
1,800 Litres / 476 US Gal.

Black water capacity  
1,125 Litres / 297 US Gal.

Grey water capacity  
1,125 Litres / 297 US Gal.

Accommodation  
Up to 10 guests and up to 5 crew

Engine options (total)  
MTU up to 5,280PS

Maximum speed  
Up to 30 knots

Range @ 10/12 knots  
Up to 1,300 nautical miles

Drives  
Shafts

## 100 YACHT








# 100 YACHT STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



FLYBRIDGE

Shown with helm, upgraded wetbar with raised glass shelf and 3 x bar stools, spa tub and sunpad arrangement and forepeak furniture



MAIN DECK

Shown with optional starboard side patio door, wooden flooring in main deck saloon, dining, lobby and master stateroom entrance, aft cockpit Sunseeker X-Tend™ system with loose furniture arrangement and forepeak furniture



LOWER DECK

Shown with sliding beds in port and starboard twin guest cabins



SUNSEEKER  
OCEAN

OCEAN 156  
90 OCEAN  
OCEAN 182

## PRINCIPAL CHARACTERISTICS

Length overall  
**25.14m / 82' 6"**

Beam  
**6.56m / 21' 6"**

Draft  
**1.86m / 6' 1"**

Displacement  
**74,630 KG / 164,351 LB**

Fuel capacity  
**8,500 Litres / 2,245 US Gal.**

Fresh water capacity  
**1,500 Litres / 396 US Gal.**

Black water capacity  
**800 Litres / 211 US Gal.**

Grey water capacity  
**1,250 Litres / 300 US Gal.**

Engines options (total)  
**MAN up to 3,300PS**

Range @ 10/12 knots  
**Up to 900 nautical miles**

Maximum speed  
**Up to 25 knots**

Drives  
**Shafts**

# OCEAN 156





OCEAN 156  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE  
Shown with optional satellite domes and twin anchor arrangement



UPPER DECK  
Shown with optional forward decking, upper deck cockpit decking



MAIN DECK  
Shown with optional twin anchor arrangement, side deck and foredeck decking, forward patio door, galley side deck door, dayhead and Sunseeker X-TEND™ transformer sunbead arrangement with loose cockpit furniture.



MAIN DECK – OPTION B - MID GALLEY WITH FORWARD DINING AND AFT SALOON  
Shown with optional twin anchor arrangement, side deck and foredeck decking, forward patio door, galley side deck door, dayhead and Sunseeker X-TEND™ transformer sunbead arrangement with loose cockpit furniture.

OCEAN 156  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



MAIN DECK – OPTION C - MID GALLEY WITH FORWARD SALOON AND AFT DINING  
Shown with optional twin anchor arrangement, side deck and foredeck decking, forward patio door, galley side deck door, dayhead and Sunseeker X-TEND™ transformer sunbead arrangement with loose cockpit furniture



MAIN DECK – OPTION D - MAIN DECK STATEROOM WITH MID GALLEY AND AFT SALOON  
Shown with optional twin anchor arrangement, side deck and foredeck decking, forward patio door, galley side deck door, dayhead and Sunseeker X-TEND™ transformer sunbead arrangement with loose cockpit furniture



LOWER DECK

## PRINCIPAL CHARACTERISTICS

Length overall  
**27.10m / 88' 11"**

Beam  
**7.16m / 23' 6"**

Draft  
**1.94m / 6' 4"**

Displacement  
**82,300 Kg / 181,440 lb**

Fuel capacity  
**13,000 Litres / 3,434 US Gal.**

Fresh water capacity  
**1,500 Litres / 400 US Gal.**

Black water capacity  
**800 Litres / 211 US Gal.**

Grey water capacity  
**1,250 Litres / 300 US Gal.**

Accommodation  
**Up to 10 guests and up to 4 crew**

Engine options (total)  
**MAN up to 3,800PS**


Maximum speed  
**Up to 27 Knots**

Range @ 10/12 knots  
**Up to 1,100 nautical miles**

Drives  
**Shafts**

# 90 OCEAN







90 OCEAN  
STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE  
Shown with optional hardtop



FLYBRIDGE  
Shown with optional coachroof skylight. Flybridge forward sunpad with adjustable backrests, starboard BBQ unit and aft spa tub and sunpad arrangement



MAIN DECK  
Shown with optional cockpit Sunseeker X-TEND™ transformer sunbead, main deck dayhead and wooden flooring



LOWER DECK





PRINCIPAL CHARACTERISTICS


Length overall 27.10m / 88' 11"	Fuel capacity 13,000 Litres / 3,434 US Gal.	Accommodation Up to 10 guests and up to 4 crew	Drives Shafts
Beam 7.16m / 23' 6"	Fresh water capacity 1,500 Litres / 400 US Gal.	Engine options (total) MTU up to 3,800PS	
Draft 1.95m / 6' 5"	Black water capacity 800 Litres / 211 US Gal.	Maximum speed 27 Knots	
Displacement 82,300 Kg / 181,440 lb	Grey water capacity 1,250 Litres / 300 US Gal.	Range @ 10/12 knots Up to 1,100 nautical miles	





## OCEAN 182 STANDARD GENERAL ARRANGEMENTS

Other layout options available



PROFILE



UPPER DECK

Shown with optional wooden flooring, aft patio door and upper deck cockpit furniture arrangement



MAIN DECK

Shown with optional Sunseeker X-TEND™ Sunbed Transformer with loose cockpit furniture, main deck dayhead and wooden flooring



LOWER DECK

Shown with optional port double guest cabin and sliding beds in starboard guest cabin

## AWARDS AND ACHIEVEMENTS

2024

- THE BOAT BUILDER AWARDS 2024**  
Sunseeker Ocean 156 – Breakthrough launch of the Year
- WORLD YACHT TROPHIES**  
Ocean 156 – Innovation Trophy
- JAPAN INTERNATIONAL BOAT SHOW**  
65 Sport Yacht – Boat of the Year
- MOTOR BOAT AWARDS**  
Superhawk 55 – Best Sportscruiser over 45ft

2023

- WORLD YACHT TROPHIES**  
Superhawk 55 – Best Exterior Design
- WORLD YACHT TROPHIES**  
Ocean 182 – Best Layout
- MOTOR BOAT AWARDS**  
90 Ocean – Best Custom Yacht

2022

- THE ENGAGE MARKETING AWARDS**  
Best Use of Innovation in Customer Engagement
- METSTRADE BOAT BUILDER AWARDS**  
Best Apprenticeship and Training Scheme
- WORLD YACHT TROPHIES**  
100 Yacht – Best Exterior Design
- MOTOR BOAT AWARDS**  
65 Sport Yacht – Sports Cruisers over 45ft
- BOAT DESIGN & INNOVATION AWARDS**  
90 Ocean Sunseeker X-TEND™ – Innovation of the Year
- ROBB REPORT BEST OF THE BEST AWARDS**  
65 Sport Yacht SkyHelm™

2021

- WORLD YACHT TROPHIES 2021**  
65 Sport Yacht – Best Exterior Design, 64' – 80'  
88 Yacht – Best Exterior Design, 80' – 98'  
90 Ocean – Best Layout, 80' – 98'
- IBI BOAT BUILDER AWARDS**  
65 Sport Yacht SkyHelm™ – Innovative On-Board Design Solution

2020

- MOTOR BOAT AWARDS**  
76 Yacht – Flybridges over 60ft

2019

- MOTOR BOAT AWARDS**  
Predator 50 – 'Best Sportscruiser over 45ft'
- ASIA BOATING AWARDS**  
74 Sport Yacht – 'Best Sports Cruiser – above 55 Feet'
- CHRISTOFLE YACHT STYLE AWARDS**  
74 Sport Yacht – Best Motor Yacht in Asia, 20-25m

2018

- CHRISTOFLE YACHT STYLE AWARDS**  
76 Yacht – Best International Motor Yacht 15-24m
- MOTOR BOAT OF THE YEAR AWARDS**  
Manhattan 66 – Best Flybridge Over 60ft
- ASIA BOATING AWARDS**  
Predator 50 – Best Sports Cruiser up to 55ft

2017

- MOTOR BOAT OF THE YEAR AWARDS**  
Manhattan 52 – Best Flybridge up to 55ft
- ASIA PACIFIC BOATING AWARDS**  
131 Yacht – Best Yacht Design
- BOAT BUILDER AWARDS**  
Sunseeker 'BEACH CLUB' concept – Most Innovative On-Board Design Solution
- BOAT BUILDER AWARDS**  
Best Apprenticeship and Training Scheme

2016

- MOTOR BOAT OF THE YEAR AWARDS**  
Predator 57 – Sports Cruiser over 45ft
- ASIA BOATING AWARDS**  
155 Yacht – Best Production Motor Yacht

**WALPOLE AWARDS**

Champion of British Luxury Manufacturing

- BOAT BUILDER AWARDS**  
Robert Braithwaite – Lifetime Achievement Award

2015

- ASIA BOATING AWARDS**  
Best Brand Presence

2014

- WORLD YACHT TROPHIES**  
101 Sport Yacht – 'Best Exterior Design'
- ASIA BOATING AWARDS**  
Predator 80 – Best Worldwide Production Motor Yacht 15M-24M
- WORLD SUPERYACHT AWARDS**  
40 Metre Yacht 'Sea Raider V' – Finalist

2013

- ASIA BOATING AWARDS**  
Best Brand Presence
- MOTOR BOAT OF THE YEAR AWARDS**  
28 Metre Yacht – Best Custom Yacht

2012

- MOTOR BOAT OF THE YEAR AWARDS**  
Manhattan 63 – Best Flybridge above 55ft
- ROBB REPORT CHINA**  
28 Metre Yacht – Best of the Best
- ASIA BOATING AWARDS**  
28 Metre Yacht – Best Production Motor Yacht 24M-40M
- WORLD SUPERYACHT AWARDS**  
Predator 130 'Never Say Never' – Finalist

2011

- ASIA BOAT AWARDS**  
Best Brand Presence in Asia
- EUROPEAN CEO CORPORATE LIFESTYLE AWARDS**  
Best Luxury Brand
- SHOWBOATS DESIGN AWARDS FLORIDA**  
Naval Architecture Motoryacht Predator 130 'Evil Zana'

2010

- WORLD SUPERYACHT AWARDS**  
Predator 130 'Evil Zana' – Finalist
- QUINTESENTIALLY AWARDS**  
Yacht Charter of the Year
- SYDNEY BOAT SHOW**  
Boating Industry Association of NSW – Best Marina Display
- SYDNEY BOAT SHOW**  
Boating Industry Association of NSW – Best Overall Display
- ASIA BOATING AWARDS**  
Predator 60 – Best Production Motoryacht 51 to 80 feet

2009

- SYDNEY BOAT SHOW**  
Display of Excellence
- CROATIA BOAT SHOW**  
Predator 92 Sport – Best in Class
- CROATIA BOAT SHOW**  
30 Metre Yacht – Best in Class
- CROATIA BOAT SHOW**  
Best Boat Show Stand

2008

- MOTOR BOAT OF THE YEAR AWARDS**  
Manhattan 60

2007

- EUROPEAN POWERBOAT OF THE YEAR**  
Superhawk 43
- ASIA PACIFIC BOATING AWARDS**  
90 Yacht – Best of the Best
- MODERN BOATING MAGAZINE**  
Portofino 47 – Imported Powerboat of the Year
- AUSTRALIAN MARINE INDUSTRIES FEDERATION AWARDS**  
Predator 62 – Imported Powerboat of the Year
- NOMINATED BY THE SUPERYACHT SOCIETY**  
37 Metre Yacht 'The Snapper'
- QUEEN'S AWARD FOR ENTERPRISE**  
International Trade
- ROBERT BRAITHWAITE IS HONOURED WITH CBE**  
The Queen's Birthday Honours List

2006

- NOMINATED FOR THREE SUPERYACHT AWARDS**  
Predator 108 'SHIVER'

2005

- AUSTRALIAN MARINE INDUSTRIES FEDERATION AWARDS**  
75 Yacht – Non-Trailable Boat Award
- AUSTRALIAN MARINE INDUSTRIES FEDERATION AWARDS**  
Portofino 46 – Commendation
- MODERN BOATING, POWER BOAT OF THE YEAR AWARDS**  
Predator 68 – Imported Powerboat of the Year
- BOATS.COM MARINE INDUSTRY WEB AWARDS**  
Manufacturers Category for www.sunseeker.com

## AWARDS AND ACHIEVEMENTS

2004

- SYDNEY BOAT SHOW**  
Best Overall Display
- SYDNEY BOAT SHOW**  
Best Marina Display

2003

- AUSTRALIAN MARINE AWARDS**  
Manhattan 56, Award for Excellence
- AUSTRALIAN MARINE AWARDS**  
Predator 68 – Best Imported Non-Trailable Yacht

2002

- ENTREPRENEUR OF THE YEAR AWARD**  
Robert Braithwaite MBE

2001

- BEST POWER DESIGN AWARD**  
105 Yacht – The Superyacht Society
- BEST POWER INTERIOR AWARD**  
105 Yacht – The Superyacht Society
- PRESIDENT'S AWARD**  
Southern California Marine Association

2000

- QUEEN'S AWARD FOR ENTERPRISE**  
Continuous Innovation and Development
- THE TIMES EXPORTER OF THE YEAR**  
Times Export Awards
- ROBB REPORT AWARD**  
Best of the Best, Boating and Sailing

1999

- ROBB REPORT AWARD**  
Best of the Best, Boating and Sailing
- MOTORBOAT OF THE YEAR**  
Predator 75 – BT British Nautical Awards

1998

- SUPERYACHT DESIGN AWARD**  
Manhattan 74 – Superyacht Design Awards
- EDITOR IN CHIEF AWARDS**  
Yachts Magazine

1997

- LIFETIME ACHIEVEMENT AWARD**  
Robert Braithwaite MBE, RYA Awards

1996

- MOTORCRUISER OF THE YEAR AWARD**  
RYA British Nautical Awards
- EXPORTER OF THE YEAR AWARD**  
DCCI Export Awards

1995

- BOAT BUILDER OF THE YEAR AWARD**  
RYA/BMIF British Nautical Awards

1994

- QUEEN'S AWARD FOR EXPORT ACHIEVEMENT**  
Queen's Awards for Industry

1992

- BEST IN THE WORLD AWARD**  
Renegade 60 – Boating Magazine
- ROBERT BRAITHWAITE IS HONOURED WITH MBE**  
The Queen's Birthday Honours List

1990

- EXPORTER OF THE YEAR**  
SW International Business Awards

1989

- QUEEN'S AWARD FOR EXPORT ACHIEVEMENT**  
Queen's Awards for Industry

1987

- QUEEN'S AWARD FOR EXPORT ACHIEVEMENT**  
Queen's Awards for Industry



Whilst every effort has been made to provide accurate information, the content of this brochure is not intended to be, and should not be relied upon as providing, any warranty, representation, guarantee, or offer. Performance and range figures are estimates to be used as an indicative guide only and are not guaranteed. Dirt or marine growth on the hull, size of boat, engine choice and tuning, propeller condition and pitch, air and water temperature, fuel weight and quality, water weight, stores, number of people on board and other factors can each affect a boat's performance and range. The photographs and artist's impressions in this brochure are from existing models in the Sunseeker range. There may be items shown in these photographs and impressions that are not included in the standard inventory of the models shown. Specifications, measurements and certain other details contained in this brochure may relate to models only for sale in a particular territory. We cannot guarantee that the entire Sunseeker range will be available in every territory. Specifications for models sold in different territories may also vary. Specifications may be changed or models withdrawn at any time without prior notice. The individual specification for each vessel will be agreed as part of the order process and confirmed in the sales contract between the purchaser and the approved Sunseeker distributor or dealer in the relevant territory. Please contact the local Sunseeker distributor or dealer in the territory which is of interest to you, to enquire as to the models and options that are likely to be available in that territory. This brochure is created and published in the United Kingdom by or on behalf of Sunseeker International Ltd and subject to the limitations and exclusions set out herein provides information relating to new Sunseeker™ manufactured motor yachts sold outside of the United States of America and Canada. For parties requiring information on new Sunseeker models for sale in the United States or Canada please contact a Sunseeker USA Sales Co. Inc. appointed dealer in the relevant territory. All distributors and dealers of new Sunseeker manufactured motor yachts are independently owned and controlled businesses. They are not subsidiaries of, or agents for, Sunseeker International Limited, Sunseeker USA Sales Co. Inc. or any of their respective parent, subsidiary or affiliated companies. As such, no distributor or dealer has any authority to bind or obligate any Sunseeker company in any way unless first agreed in writing signed by an authorized Sunseeker signatory.

Information about how we use personal data is set out in our Privacy Policy at <https://www.sunseeker.com/legal>

June 2025. ©Sunseeker International Limited.



SUNSEEKER 100 YACHT



